

**ULTRA SILENT DIESEL GENERATORS - 17kVA to 28kVA**

- Kipor’s top of the range water-cooled diesel generators give reliability with quiet efficiency for both commercial and factory applications. A digital control panel and a new Automatic Voltage Regulator (AVR) delivers controlled non-fluctuating power.
- Ultra quiet operation
- Electric Starter
- Fuel efficient
- Optional Automatic Transfer Switch (ATS)



**KIPOR**

Model Number:	<b>KDE20SS3</b>	<b>KDE25SS</b>	<b>KDE35SS3</b>
	<b><u>THREE PHASE</u></b>	<b><u>SINGLE PHASE</u></b>	<b><u>THREE PHASE</u></b>
Rated Output:	17.0kVA	18.5kVA	28.0kVA
Rated Current:	24.5A	87.0A	48.6A
Rated Voltage:	230V @ 50Hz	230V @ 50Hz	230V @ 50Hz
Noise Level @ 7 m:	51dB	51dB	51dB
Mass Dry:	730kgs	850kgs	850kgs
Overall Size:	1570x780x1050mm	1900x950x1200mm	1900x950x1200mm
Starting System:	Electric Starter	Electric Starter	Electric Starter
Fuel Tank Capacity:	65 litres	95 litres	95 litres
Fuel Consumption:	320g/kWhr	320g/kWhr	300g/kWhr
Run Time:	12 hours	11 hours	11.5 hours

**PRICES SUBJECT TO PREVAILING US DOLLAR EXCHANGE RATES**  
**WARRANTY 12 MONTHS or 1000 RUN HOURS • FULL SPARES AVAILABILITY**

**ULTRA SILENT DIESEL GENERATORS - 37kVA & 50kVA**

- Kipor’s top of the range water-cooled diesel generators give reliability with quiet efficiency for both commercial and factory applications. A digital control panel and a new Automatic Voltage Regulator (AVR) delivers controlled non-fluctuating power.
- Ultra quiet operation
- Electric Starter
- Fuel efficient
- Optional Automatic Transfer Switch (ATS)



**KIPOR**

Model Number:	<b>KDE45SS3</b>	<b>KDE60SS3</b>
	<b><u>THREE PHASE</u></b>	<b><u>THREE PHASE</u></b>
Rated Output:	37kVA	50kVA
Rated Current:	53.4A	72.2A
Rated Voltage:	230V @ 50Hz	230V @ 50Hz
Noise Level @ 7 m:	51dB	51dB
Mass Dry:	1100kgs	1100kgs
Overall Size:	2250x950x1300mm	2250x950x1300mm
Starting System:	Electric Starter	Electric Starter
Fuel Tank Capacity:	95 litres	95 litres
Fuel Consumption:	300g/kWhr	290g/kWhr
Run Time:	8.0 hours	6.5 hours

**PRICES SUBJECT TO PREVAILING US DOLLAR EXCHANGE RATES**  
**WARRANTY 12 MONTHS or 1000 RUN HOURS • FULL SPARES AVAILABILITY**

**ULTRA SILENT DIESEL GENERATORS - 62kVA to 80kVA**

- Kipor’s top of the range water-cooled diesel generators give reliability with quiet efficiency for both commercial and factory applications. A digital control panel and a new Automatic Voltage Regulator (AVR) delivers controlled non-fluctuating power.
- Ultra quiet operation
- Electric Starter
- Fuel efficient
- Optional Automatic Transfer Switch (ATS)



**KIPOR**

Model Number:	<b>KDE75SS3</b>	<b>KDE100SS3</b>
	<b>3-PHASE</b>	<b>3-PHASE</b>
Rated Output:	62kVA	80kVA
Rated Voltage:	230V @ 50Hz	230V @ 50Hz
Rated Current:	89.5A	115.0A
Noise Level @ 7 m:	51dB	51dB
Mass Dry:	1650kgs	1680kgs
Overall Size:	2250x1140x1500mm	2700x1140x1500mm
Starting System:	Electric Starter	Electric Starter
Fuel Tank Capacity:	110 litres	110 litres
Fuel Consumption:	290g/kWhr	280g/kWhr
Run Time:	5 hours	5 hours

**PRICES SUBJECT TO PREVAILING US DOLLAR EXCHANGE RATES**  
**WARRANTY 12 MONTHS or 1000 RUN HOURS • FULL SPARES AVAILABILITY**